

General Catalogue 2020



POLYVERIX
AMMER AG

Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.polyverix.ch

Pattress boxes 1001 - 1002 - 1003

The original ...
... since 1966 - with improved geometry



372 501 857 - 1001



372 501 847 - 1002



372 201 747 - 1003

The tried and tested pattress box

Their robust design makes the boxes ideal for concrete construction.

Pipe feedthroughs

The boxes feature several M20 and zT M25 pipe feedthroughs on each side.

The caps can be easily removed using light pressure or with a tool.

Pegs on the side walls prevent the feedthroughs from being pressed against the opposite side. The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.



The white boxes are tested up to 650°C and are therefore ideal for installation in non-combustible walls.

Colour, material

White, HDPE (halogen-free).

Dark grey, HDPE (halogen free), flame retardant


Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 501 857	1001	80	Pattress box single, GWT 650°C	60 x 55	8x ø20	1 x 1
372 501 847	1002	80	Pattress box single, GWT 650°C	60 x 55	8x ø20	1 x 1
372 201 747	1003	100	Pattress box single, GWT 850°C	70 x 70 x 55	8x ø20 / 2x ø25	1 x 1



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.polyverix.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch


Sealing plates 1004/3-1 - 1023 - 1068-1



372 800 007 - 1004/3-1



155 909 047 - 1023



155 980 047 - 1068-1


Sealing plates for our pattress boxes

The sealing plates serve primarily as an aid to installation. To prevent paint etc. from getting into the box from the plasterwork, the plates are designed so that they are easy to locate and remove.

Colour, material

- 1004/3-1 Dark grey, HDPE (halogen-free), flame retardant.
- 1023 Green, HDPE (halogen free), pigment.
- 1068-1 White, HDPE (halogen free).

Item No.	Ammer No.	Units	Description	Compatible with	Dimensions (mm, LxW)
372 800 007	1004/3-1	100	Sealing plate	1004/1003	65 x 65
155 909 047	1023	100	Sealing plate	1011/1012/1013/1014/1015	95 x 95
155 980 047	1068-1	100	Sealing plate	1068	125 x 125



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Pattress boxes 1004 - 1005 - 1006 - 1066

The original...

... since 1966 - with improved geometry for installation in combustible walls and cavity walls



372 101 747 - 1004
(compatible with sealing plate
372 800 007 - 1004/3-1)



372 104 747 - 1005



372 204 747 - 1006



372 107 847 - 1066

The proven junction box for every type of wall

The robust design means that the boxes are ideal for concrete construction.

Pipe feedthroughs

The boxes feature several M20 and M25 pipe feedthroughs on each side.

The covers can be easily removed using light pressure or with a tool.

Pegs on the side walls prevent the feedthroughs from being pressed against the opposite side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Dividers

The double and triple boxes include dividers that give the boxes enormous dimensional stability.

This is important in particular for concrete construction.

Glow wire testing



All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 101 747	1004	100	Pattress box single, GWT 850°C	70 x 70 x 55	8x ø20 / 2x ø25	1 x 1
372 104 747	1005	60	Pattress box double, GWT 850°C	130 x 70 x 55	6x ø20 / 4x ø25	2 x 1
372 204 747	1006	60	Pattress box double, GWT 850°C	130 x 70 x 55	8x ø20 / 2x ø25	2 x 1
372 107 847	1066	40	Pattress box triple, GWT 850°C	188 x 70 x 55	12x ø20 / 8x ø25	3 x 1



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch


Ammer pattress boxes 1004 - 1005 - 1066

The original ...

... since 1966 - with improved geometry for installation in combustible walls and cavity walls and now using environmentally-friendly AGRIPLAST




372 101 747 - 1004



372 701 747 - 1004-B




372 104 747 - 1005



372 704 747 - 1005-B



372 107 847 - 1066



372 107 867 - 1066-B

The tried and tested pattress box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

AGRIPLAST

The material AGRIPLAST consists of up to 50% of conventional field grass. We reduce the ecological footprint of new buildings and renovations by up to 70%!

Pipe feedthroughs

The boxes feature several M20 and M25 pipe feedthroughs on each side.

The covers can be easily removed using light pressure or with a tool.

Pegs on the side walls prevent the feedthroughs from being pressed against the opposite side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Dividers

The single and double boxes have dividers that make the boxes extremely dimensionally stable.

This is important in particular for concrete construction.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material


1004, 1005, 1006

dark gray, HDPE (halogen-free), flame retardant.

1004-B, 1005-B, 1066-B

green, AGRIPLAST (halogen and heavy metal-free)

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 101 747	1004	100	Pattress box single, GWT 850°C	70 x 70 x 55	8x ø20 / 2x ø25	1x1
372 701 747	1004-B	100	Pattress box single, AGRIPLAST	70 x 70 x 55	8x ø20 / 2x ø25	1x1
372 104 747	1005	60	Pattress box double, GWT 850°C	130 x 70 x 55	6x ø20 / 4x ø25	2x1
372 704 747	1005-B	60	Pattress box double, AGRIPLAST	130 x 70 x 55	6x ø20 / 4x ø25	2x1
372 107 847	1066	40	Pattress box triple, GWT 850°C	188 x 70 x 55	12x ø20 / 8x ø25	3x1
372 107 867	1066-B	40	Pattress box triple, AGRIPLAST	188 x 70 x 55	10x ø20 / 4x ø25	3x1



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch


Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

NEW made from environmentally-friendly **AGRIPLAST**


Pattress boxes 1004B - 1005B - 1066B - 5076B

The original ...


... since 1966 - with improved geometry for installation in combustible walls and cavity walls



372 701 747 - 1004-B



372 704 747 - 1005-B



372 107 867 - 1066-B



372 501 667 - 5076-B

AGRIPLAST

The material AGRIPLAST consists of up to 50% of conventional field grass. We reduce the ecological footprint of new buildings and renovations by up to 70%!

Pipe feedthroughs

The boxes feature several M20 and M25 pipe feedthroughs on each side.

The covers can be easily removed using light pressure or with a tool.

Pegs on the side walls prevent the feedthroughs from being pressed against the opposite side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Dividers

The single and double boxes have dividers that make the boxes extremely dimensionally stable.

This is important in particular for concrete construction.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Green, AGRIPLAST (halogen and heavy metal-free).

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 701 747	1004-B	100	Pattress box single, AGRIPLAST	70 x 70 x 55	8x Ø20 / 2x Ø25	1 x 1
372 704 747	1005-B	60	Pattress box double, AGRIPLAST	130 x 70 x 55	6x Ø20 / 4x Ø25	2 x 1
372 107 867	1066-B	40	Pattress box triple, AGRIPLAST	188 x 70 x 55	10x Ø20 / 4x Ø25	3 x 1
372 501 667	5076-B	80	NIS box, AGRIPLAST	60 x 60 x 53	6x Ø20 / 1x Ø25	1 x 1



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Junction boxes 1011 - 1012 - 1013

The original ...

... since 1966 - with improved geometry for installation in combustible walls and cavity walls



155 010 047 - 1011

The tried and tested junction box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

Pipe feedthroughs

The boxes come with several M16, M20, M25 and M32 pipe feedthroughs on each side, making them extremely versatile

The covers can be easily removed using light pressure or with a tool.

Pegs on the side walls prevent the feedthroughs from being pressed against the opposite side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Affixing cover plates A chuck for mounting the supplied threaded rod, which enables the mounting of all standard cover plates, is located at the bottom of the box.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant




155 010 247 - 1012



155 010 447 - 1013

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs
155 010 047	1011	84	Junction box, GWT 850°C	82 x 82 x 45	2x ø16 / 8x ø20 / 6x ø25 / 3x ø32
155 010 247	1012	84	Junction box, GWT 850°C	82 x 82 x 45	4x ø16 / 8x ø20 / 6x ø25 / 3x ø32
155 010 447	1013	84	Junction box, GWT 850°C	82 x 82 x 45	2x ø20 / 4x ø25 / 1x ø32



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Junction boxes 1014 - 1015 - 5016

The original ...

... since 1966 - with improved geometry for installation in combustible walls and cavity walls



155 011 047 - 1014



155 011 247 - 1015



155 011 447 - 5016

The tried and tested junction box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

Thanks to their large installation depth, the large volume and the high number of pipe feedthroughs, they leave plenty of room for installations.

Pipe feedthroughs

The boxes come with several M20, M25 and M32 pipe feedthroughs on each side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Affixing cover plates

A chuck for mounting the supplied threaded rod, which enables the mounting of all standard cover plates, is located at the bottom of the box.

Glow wire testing


All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant.

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)		Feedthroughs
155 011 047	1014	54	Junction box, GWT 850°C	82 x 82 x 70	20x ø20 / 10x ø25 / 3x ø25 / 3x ø32	
155 011 247	1015	45	Junction box, GWT 850°C	82 x 82 x 80	20x ø20 / 10x ø25 / 3x ø25 / 3x ø32	
155 011 447	5016	54	Junction box, GWT 850°C	82 x 82 x 70	20x ø20 / 10x ø25 / 3x ø25 / 3x ø32	



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Cover plates 1016 - 1021 - 1026



155 913 047 - 1016

The tried and tested cover plates

The cover plates for a multitude of applications.

Dial

The cover plates feature a dial that is used to denote installation types (L, K, W, T+T S, T).

Colours, material

White, Bakelite (halogen-free).

Custom designs

We can manufacture the boxes in a variety of other colours and can also inscribe the lids. We will be happy to assist with any further questions!



155 981 047 - 1021



155 914 047 - 1026

Item No.	Ammer No.	Units	Description	Compatible with	Dimensions (mm, LxWxD)
155 913 047	1016	30	Screw cap with dial	1063	140 x 140 x 5
155 981 047	1021	18	Plug-in cap with dial	1068	140 x 140 x 5
155 914 047	1026	18	Plug-in cap with dial	1063	140 x 140 x 5



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Screw cap / cover plate 1017 /S/B/T



155 910 047 - 1017



155 910 447 - 1017-B



155 910 547 - 1017-S



155 912 057 - 1017-T

The tried and tested cover plate with centre screw

The cover plate for numerous applications, compatible among others with our 1011, 1012, 1013, 1014, 1015 and 5016 boxes.

There, they can be fastened to the bottom of the box using the supplied threaded pin and the threaded bushing.

Dial

The cover plates feature a dial that is used to denote installation types (L, K, W, T+T, S, T).

Colours, material


1017 in white, black and brown, Bakelite (halogen-free).

1017-T in white, ABS (halogen-free).

Custom designs

We can manufacture the boxes in a variety of other colours and can also inscribe the lids. We will be happy to assist with any further questions!


Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)
155 910 047	1017	20	White screw cap with dial	115 x 115 x 5
155 910 547	1017-S	20	Black screw cap with dial	115 x 115 x 5
155 910 447	1017-B	20	Brown screw cap with dial	115 x 115 x 5
155 912 057	1017-T	20	Thermoplastic screw cap with dial	115 x 115 x 5



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Lamp dowels 1022 - 1024



165 920 047 - 1022

The tried and tested lamp dowels

Their robust design makes the dowels ideal for concrete construction.

The pipes can be straightforwardly inserted above the reinforcement steel.

1022 is suitable for light tubes or smaller lamps.

The lamp fixing is installed in the lamp dowel 1024. They are suitable for larger or heavy lamps.



165 920 147 - 1024

Pipe feedthroughs

The lamp dowels have easy-to-cut pipe feedthroughs.

Glow wire testing



All boxes meet the glow wire test (GWT) up to 650°C according to EN 60670.

They are thus suitable for concrete and masonry.

Colour, material

White, HDPE (halogen-free).

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs
165 920 047	1022	100	Lamp dowels	90 x 40 x 60	4x ø20
165 920 147	1024	48	Lamp dowels	75 x 75	4x ø20 / 2x ø25



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Plug-in cap / cover plate 1025 /S/B/T



155 911 047 - 1025



155 911 447 - 1025-B



155 911 547 - 1025-S



155 913 057 - 1025-T

The tried and tested cover plate with clamp base

The cover plate for numerous applications, compatible among others with our 1011, 1012, 1013, 1014, 1015 and 5016 boxes, to which it can be directly attached.

The cover plates feature a dial that is used to denote installation types (L, K, W, T+T, S, T).

Colours, material

1025 in white, black and brown, Bakelite (halogen-free).

1025-T in white, ABS (halogen-free).

Custom designs

We can manufacture the boxes in a variety of other colours and can also inscribe the lids. We will be happy to assist with any further questions!

Item No.	Ammer No.	Units	Description	Dimensions (mm LxWxD)
155 911 047	1025	10	White press-in cap with dial	115 x 115 x 5
155 911 547	1025-S	10	Black press-in cap with dial	115 x 115 x 5
155 911 447	1025-B	10	Brown press-in cap with dial	115 x 115 x 5
155 913 057	1025-T	10	Thermoplastic press-in cap with dial	115 x 115 x 5



POLYVERIX
AMMER AG

Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Dividers 1031 - 1038



372 800 047 - 1031



372 800 147 - 1038

Dividers

The dividers lend the boxes dimensional stability, which is greatly important above all in concrete construction. Depending on the installation, the divider can be removed after concreting, thus creating more available space.

The 1031 divider features an arch for cables to pass through. The 1038 divider closes off the compartments from one another completely.

Glow wire testing



The dividers meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant.

Item No.	Ammer No.	Units	Description	Compatible with
372 800 047	1031	100	Divider, GWT 850°C	1005, 1066
372 800 147	1038	100	Divider, GWT 850°C	1006



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Pattress boxes 1061 - 1063 - 1068

The original ...

... since 1966 - with improved geometry for installation in combustible walls and cavity walls



155 012 047 - 1061



155 013 047 - 1063



155 000 047 - 1068

The tried and tested junction box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

Thanks to their large installation depth, the large volume and the high number of pipe feedthroughs, they leave plenty of room for installations.

Pipe feedthroughs

The boxes come with several M16, M20, M25, M32 and M40 pipe feedthroughs on each side.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Affixing cover plates

A chuck for mounting the supplied threaded rod, which enables the mounting of all standard cover plates, is located at the bottom of the box.

Glow wire testing


All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant.

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs
155 012 047	1061	16	Junction box, GWT 850°C	170 x 130 x 70	22x ø20 / 14x ø25 / 10x ø32 / 10x ø40
155 013 047	1063	32	Junction box, GWT 850°C	110 x 110 x 55	1x ø16 / 17x ø20 / 10x ø25 / 4x ø40
155 000 047	1068	30	Junction box, GWT 850°C	122 x 122 x 55	20x ø20 / 16x ø25 / 4x ø32



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Cover plates 1080 - 1081



155 900 047 - 1080



155 912 047 - 1081

The tried and tested cover plates

The cover plates for a multitude of applications.

The 1080 screw cap can be screwed to the box with a central screw. It is compatible with the boxes 1011, 1012, 1013, 1014, 1015 and 5016.

For example, the 1081 cover plate fits on our 1061 box, where it can be directly fastened with four corner screws.

Dial

The cover plates feature a dial that is used to denote installation types (L, K, W, T+T, S, T).



Colours, material

White, Bakelite (halogen-free).

Custom designs

We can manufacture the boxes in a variety of other colours and can also inscribe the lids. We will be happy to assist with any further questions!

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)
155 900 047	1080	20	White screw cap	115 x 115 x 5
155 912 047	1081	12	White cover plate with dial	205 x 165 x 5



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Combination box/cover plate

1089 - 1094 - 1095



155 010 147 - 1089

The tried and tested combination for every type of wall

Their robust design makes the boxes ideal for concrete construction.

The combination with cover plate simplifies the ordering process for you and reduces storage volume.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Pattress box: Dark grey, HDPE (halogen free), flame retardant

White, Bakelite (halogen-free).





155 012 147 - 1094



155 011 547 - 1095

Item No.	Ammer No.	Units	Description
155 010 147	1089	18	Pattress box 1011 with cover plate 1025
155 012 147	1094	4	Pattress box 1061 with cover plate 1081
155 011 547	1095	12	Pattress box 5016 with cover plate 1025



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Combination box/cover plate

1090 - 1091 - 1092 - 1093



155 010 347 - 1090



155 010 547 - 1091



155 011 147 - 1092



155 011 347 - 1093

The tried and tested combination for every type of wall

Their robust design makes the boxes ideal for concrete construction.

The combination with cover plate simplifies the ordering process for you and reduces storage volume.

Glow wire testing

All boxes meet the glow wire test (GWT) up to 850 °C according to EN 60670.


They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Pattress box: Dark grey, HDPE (halogen free), flame retardant

Cover plate: White, Bakelite (halogen-free).

Item No.	Ammer No.	Units	Description
155 010 347	1090	18	Pattress box 1012 with cover plate 1017
155 010 547	1091	18	Pattress box 1013 with cover plate 1017
155 011 147	1092	12	Pattress box 1014 with cover plate 1017
155 011 347	1093	12	Pattress box 1015 with cover plate 1017



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Pattress boxes 1010 - 5003 - 5004 - 5076

The original ...


... since 1966 - for installation in combustible walls and cavity walls



372 101 147 - 1010



372 201 457 - 5003



372 204 457 - 5004



372 501 647 - 5076

The tried and tested pattress box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

The boxes have a low installation depth and no corner fasteners. As such, they are well suited for prefabricated construction elements or very thin walls.

The NIS box is ideally suited for quick and easy installation, e.g. of WLAN modules.

Pipe feedthroughs

The boxes feature several M20 and M25 pipe feedthroughs on each side.

The covers can be easily removed using light pressure or with a tool.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Dividers

The double boxes feature a divider that makes the box extremely dimensionally stable. This is important in particular for concrete construction.

Glow wire testing


All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant.

Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 101 147	1010	120	Pattress box single, GWT 850°C	60 x 60 x 35	7x ø20 / 3x ø25	1x1
372 201 457	5003	100	Pattress box single, GWT 850°C	60 x 60 x 45	8x ø20 / 3x ø25	1x1
372 204 457	5004	50	Pattress box double, GWT 850°C	120 x 60 x 45	6x ø20 / 3x ø25	2x1
372 501 647	5076	80	NIS box, GDP 850°C	60 x 53	6x ø20 / 1x ø25	1x1



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch


Pattress boxes 5003 - 5004 - 5076

The original ...

... since 1966 - for installation in combustible walls and cavity walls



372 201 457 - 5003



372 204 457 - 5004



372 501 647 - 5076

The tried and tested pattress box for every type of wall

Their robust design makes the boxes ideal for concrete construction.

The boxes have a low installation depth and no corner fasteners. As such, they are well suited for prefabricated construction elements or very thin walls.

The NIS box is ideally suited for quick and easy installation, e.g. of WLAN modules.

Pipe feedthroughs

The boxes feature several M20 and M25 pipe feedthroughs on each side.

The covers can be easily removed using light pressure or with a tool.

The pipe feedthroughs have a small groove that fastens to the corrugated tube.

Dividers

The double boxes feature a divider that makes the box extremely dimensionally stable. This is important in particular for concrete construction.

Glow wire testing



All boxes meet the glow wire test (GWT) up to 850°C according to EN 60670.

They are thus suitable for concrete, masonry as well as wooden and hollow walls.

Colour, material

Dark grey, HDPE (halogen free), flame retardant.


Item No.	Ammer No.	Units	Description	Dimensions (mm, LxWxD)	Feedthroughs	Size
372 201 457	5003	100	Pattress box single, GWT 850°C	60 x 60 x 45	8x ø20 / 3x ø25	1x1
372 204 457	5004	50	Pattress box double, GWT 850°C	120 x 60 x 45	6x ø20 / 3x ø25	2x1
372 501 647	5076	80	NIS box, GDP 850°C	60 x 53	6x ø20 / 1x ø25	1x1




Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch


Pattress boxes 5045



374 194 009 - 5045-St



374 187 009 - 5045-1



374 195 009 - 5045-2



374 197 009 - 5045-4

The tried and tested cover plates

The cover plates for a multitude of applications.

Versions

We produce the 5045 cover plate in four different versions.



Colours, material

White, Bakelite (halogen-free).

Custom designs

We can manufacture the boxes in a variety of other colours and can also inscribe the lids. We will be happy to assist with any further questions!

Item No.	Ammer No.	Units	Description	Compatible with	Dimensions (mm, LxWxD)
374 194 009	5045-St	40	Cover plate, plug-in	1007, 5003	86 x 86 x 5
374 187 009	5045-1	100	Cover plate with central screw	-	86 x 86 x 5
374 195 009	5045-2	100	Cover plate with 2 corner holes	1003, 1004, 1009, 5003, 5076	86 x 86 x 5
374 197 009	5045-4	100	Cover plate with 4 corner holes	1007	86 x 86 x 5



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Threaded rods and cable glands



121 102 409
121 102 509
121 102 519
121 102 609
121 102 619



155 990 047 - 1032
155 990 147 - 1033
155 990 347 - 1034
155 990 547 - 1035
155 990 247 - 1036
155 990 447 - 1037

Threaded rods

The cover plate 1017 can be connected to the composite can 1012/1013/1014 or 1015 using the threaded rods and the counter nut.

The required length depends on the thickness of the plaster and the depth of the installation.



Cable glands

Our brass cable glands fulfil the highest demands and all common standards.

The models shown only represent a small selection; we can offer all standard fittings and special models on request.

Item No	Ammer No	Units	Description
155 990 047	1032	100	Thread Rod M3 x 42
155 990 147	1033	100	Thread Rod M3 x 52
155 990 347	1034	100	Thread Rod M3 x 76
155 990 547	1035	100	Thread Rod M3 x 100
155 990 247	1036	100	Thread Rod M3 x 66
155 990 447	1037	100	Thread Rod M3 x 86

Item No	Units	Description
121 102 409	100	Cable Gland M12 / 5-7 mm
121 102 509	100	Cable Gland M16 / 8-10 mm
121 102 519	100	Cable Gland M16 / 5-10 mm
121 102 609	100	Cable Gland M20 / 12-14 mm
102 102 619	100	Cable Gland M20/ 9-14 mm



Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.ammer.ch

Ammer AG is a member of the POLYVERIX Group www.polyverix.ch

Price list AMMER AG from 01.01.2020

CRF/18.12.2019

Article	ENo	RETAIL	PU
1001	372501857	83.25	80
1002	372501847	77.15	80
1003	372201747	151.60	100
1004	372101747	127.00	100
1004/3-1	372800007	98.35	100
1004-B	372701747	132.20	100
1005	372104747	316.00	60
1005-B	372704747	325.10	60
1006	372204747	383.65	60
1010	372101147	73.70	120
1011	155010047	353.75	84
1012	155010247	286.75	84
1013	155010447	254.60	84
1014	155011047	383.65	54
1015	155011247	462.80	45
1016	155913047	443.05	30
1017	155910047	391.10	20
1017 BRAUN	155910447	391.10	20
1017S	155910547	391.10	20
1017-T	155912057	348.10	20
1020/3	372801047	528.95	50
1020/4	372801147	637.55	50
1020/5	372801247	768.65	50
1021	155981047	487.45	18
1022	165920047	152.95	100
1023	155909047	103.05	100
1024	165920147	363.10	48
1025	155911047	447.10	10
1025 BRAUN	155911447	447.10	10
1025S	155911547	447.10	10
1025-T	155913057	354.95	10
1026	155914047	490.05	18
1027	372801547	132.40	100
1028	372801347	112.10	100
1031	372800047	59.40	50
1032	155990047	54.60	100
1033	155990147	70.35	100
1034	155990347	70.35	100
1035	155990547	81.30	100


Article	ENo	RETAIL	PU
1036	155990247	73.75	100
1037	155990447	94.95	100
1038	372800147	59.40	10
1042	372800247	630.05	10
1043	372800347	657.40	10
1044	372800447	683.90	10
1061	155012047	1179.45	16
1063	155013047	347.45	32
1066	372107847	440.30	40
1066-B	372108867	488.50	40
1068	155000047	457.30	30
1068-1	155980047	103.75	100
1070-1WS	374163009	51.20	100
1070-2WS	374223009	97.00	100
1070-3WS	374301009	204.10	50
1080	155900047	315.35	20
1081	155912047	681.90	12
1089	155010147	767.90	18
1090	155010347	678.50	18
1091	155010547	645.05	18
1092	155011147	773.95	12
1093	155011347	853.25	12
1094	155012147	1861.40	4
1095	155011547	858.70	12
5003	372201457	113.30	100
5004	372204457	264.15	50
5016	155011447	411.60	54
5045 ST WS	374194009	331.05	40
5045-2WS	374195009	89.45	100
5045-4WS	374197009	89.45	100
5045WS	374160009	83.30	100
5048-1WS	374194309	93.55	100
5048-2WS	374195309	89.45	100
5048-4WS	374197309	89.45	100
5048-ST	971429047	331.05	40
5075	974504047	1039.55	20
5076	372501647	87.40	80
5076-B	372501667	97.00	81

All prices are quoted per 100 pieces and ex-VAT

Ammer AG
Glattalstrasse 525
CH-8153 Rümlang
+41 44 817 24 15
info@ammer.ch
www.ammer.ch

UID CHE-106.954.476 MWST
PC 80-46276-7
UBS AG, 8048 Zürich, CH04 0028 5285 2072 3001 X
UBS AG, 8152 Glattbrugg, CH98 0028 3283 8033 7001 P





Glattalstrasse 525 · CH-8153 Rümlang · Tel +41 44 817 24 10 · info@ammer.ch · www.polyverix.ch